

UNCLASSIFIED

AD NUMBER
ADB274518
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Proprietary Info.; Sep 2001. Other requests shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott St., Ft. Detrick, MD 21702-5012.
AUTHORITY
USAMRMC ltr, DTD 01 Jul 2003

THIS PAGE IS UNCLASSIFIED

AD_____

Award Number: DAMD17-00-1-0632

TITLE: Mapping Genetic Modifiers of Mammary Tumor Susceptibility
in BALB/c-p53+/- Mice

PRINCIPAL INVESTIGATOR: D. Joseph Jerry, Ph.D.
Anneke C. Blackburn

CONTRACTING ORGANIZATION: University of Massachusetts
Amherst, Massachusetts 01003

REPORT DATE: September 2001

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Distribution authorized to U.S. Government
agencies only (proprietary information, Sep 01). Other requests
for this document shall be referred to U.S. Army Medical Research
and Materiel Command, 504 Scott Street, Fort Detrick, Maryland
21702-5012.

The views, opinions and/or findings contained in this report are
those of the author(s) and should not be construed as an official
Department of the Army position, policy or decision unless so
designated by other documentation.

20020124 304

NOTICE

USING GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA INCLUDED IN THIS DOCUMENT FOR ANY PURPOSE OTHER THAN GOVERNMENT PROCUREMENT DOES NOT IN ANY WAY OBLIGATE THE U.S. GOVERNMENT. THE FACT THAT THE GOVERNMENT FORMULATED OR SUPPLIED THE DRAWINGS, SPECIFICATIONS, OR OTHER DATA DOES NOT LICENSE THE HOLDER OR ANY OTHER PERSON OR CORPORATION; OR CONVEY ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY RELATE TO THEM.

LIMITED RIGHTS LEGEND

Award Number: DAMD17-00-1-0632
Organization: University of Massachusetts

Those portions of the technical data contained in this report marked as limited rights data shall not, without the written permission of the above contractor, be (a) released or disclosed outside the government, (b) used by the Government for manufacture or, in the case of computer software documentation, for preparing the same or similar computer software, or (c) used by a party other than the Government, except that the Government may release or disclose technical data to persons outside the Government, or permit the use of technical data by such persons, if (i) such release, disclosure, or use is necessary for emergency repair or overhaul or (ii) is a release or disclosure of technical data (other than detailed manufacturing or process data) to, or use of such data by, a foreign government that is in the interest of the Government and is required for evaluational or informational purposes, provided in either case that such release, disclosure or use is made subject to a prohibition that the person to whom the data is released or disclosed may not further use, release or disclose such data, and the contractor or subcontractor or subcontractor asserting the restriction is notified of such release, disclosure or use. This legend, together with the indications of the portions of this data which are subject to such limitations, shall be included on any reproduction hereof which includes any part of the portions subject to such limitations.

THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLICATION.

Kath Mone 12/28/01

REPORT DOCUMENTATION PAGEForm Approved
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE September 2001	3. REPORT TYPE AND DATES COVERED Annual (1 Sep 00 - 31 Aug 01)	
4. TITLE AND SUBTITLE Mapping Genetic Modifiers of Mammary Tumor Susceptibility in BALB/c-p53+/- Mice			5. FUNDING NUMBERS DAMD17-00-1-0632	
6. AUTHOR(S) D. Joseph Jerry, Ph.D. Anneke C. Blackburn				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Massachusetts Amherst, Massachusetts 01003 E-Mail: jjerry@vascl.umass.edu			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Report contains color.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution authorized to U.S. Government agencies only (proprietary information, Sep 01). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012.				12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 Words) <p>The TP53 tumor suppressor gene is critical for inhibiting tumors in many tissues. Heterozygosity at TP53 has been associated with the Li-Fraumeni tumor susceptibility syndrome where breast cancer is the most common tumor in women with this syndrome. We found that the incidence of mammary tumors in mice that were heterozygous for Trp53 varied among strains. Therefore, the mammary tumor-susceptible strain (BALB/cMed) was crossed with a resistant strain (C57BL/6J) to create a panel of 220 backcross mice to allow genetic mapping of chromosomal intervals containing modifiers of mammary tumor susceptibility that varied between these strains. We have monitored tumor type and latency in these mice for >15 months with 50 mice remaining. The incidence of mammary tumors in the Trp53+/- backcross mice was considerably reduced compared to the BALB/c (~60% vs 30%) confirming the presence of modifier loci in the BALB/c strain that confer susceptibility. We are evaluating linkage of the tumor phenotype to BALB/c polymorphisms in the <i>Ink4a</i> and <i>Prdkc</i> genes that result in proteins that have reduced activity in cell cycle checkpoint and DNA repair activities. We have also established the mechanism by which the wild type allele of Trp53 is lost during mammary tumor formation in these mice.</p>				
14. SUBJECT TERMS Genetic mapping, p53, Susceptibility, Breast cancer				15. NUMBER OF PAGES 6
				16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

Table of Contents

Cover.....	
SF 298.....	2
Table of Contents.....	3
Introduction.....	4
Body.....	4
Key Research Accomplishments.....	4
Reportable Outcomes.....	4
Conclusions.....	4
References.....	5
Appendices.....	5

Introduction:

The *TP53* tumor suppressor gene is critical for inhibiting tumor development in many tissues. In the breast epithelium, this is evident from the high incidence of breast cancers in Li-Fraumeni syndrome (LFS) patients who inherit germline mutations in *TP53*¹. However, the incidence and age of onset of breast cancer in LFS patients bearing identical mutations varies dramatically. Genes that segregate independently of *TP53* may interact with p53 status to modify tumor susceptibility in LFS patients and in the general population. Modifier loci with subtle effects (*i.e.* low-penetrance alleles) would have a complex pattern of inheritance in human populations that would be indistinguishable from "sporadic" breast cancer and may prove to be important contributors to the overall risk of breast cancer.

While mammary tumors are observed infrequently in C57BL/6-*Trp53*^{+/-} mice², we have recently demonstrated a high incidence of spontaneous mammary tumors in BALB/c mice that are heterozygous for *Trp53* (BALB/c-*Trp53*^{+/-}). In female BALB/c-*Trp53*^{+/-} mice, 55% developed mammary carcinomas with a latency of 8-14 months³. In this project we have exploited this to determine the pattern of inheritance and genetically map chromosomal intervals harboring genes that alter susceptibility to mammary tumors.

Body:

The initial work of mating mice to prepare female (C57BL/6xBALB/cMed)F1 progeny and backcross to BALB/c-*Trp53*^{-/-} males to prepare the mapping panel of female mice heterozygous for *Trp53* has been completed. A total of 220 females have been monitored for tumor incidence for >15 months. To date a total of 82 mammary tumors have been recovered with latency varying between 21 and 68 weeks (Appendix, figure 1). Normal tissues have been collected from which DNA has been extracted for analysis of genetic markers. Homozygosity for the candidate genes *Ink4a* and *Prdkc*, for which it is known the BALB/c strain harbors variants that reduce protein function, is being analyzed for segregation with the mammary tumor phenotype.

Key Research Accomplishments:

- The mapping panel of mice has generated the mammary phenotypes anticipated and genomic DNA has been isolated in preparation for genotyping. The number of mice with and without mammary tumors are sufficient to allow a genome-wide scan to provide provisional mapping of loci that alter susceptibility to mammary tumors.

Reportable Outcomes:

- Data presented at the Gordon Research Conference in Mammary Gland Biology (June 2001).
- A repository of >80 matched normal and tumor mammary tissue and DNA has been established. Tissues are available for genetic and histologic analyses.
- These DNA samples have been exploited to determine the mechanism by which the wild type allele of *Trp53* is lost in mammary tumors. One manuscript is in preparation describing this mechanism.
- Dr. Anneke Blackburn was awarded a postdoctoral fellowship (DAMD17-01-1-0315) to continue the phenotypic and genetic analysis of this mapping population.
- Dr. Blackburn has gained valuable experience with mammary gland and tumor biology in preparation for an independent career. During this time she has demonstrated her abilities as an independent scientist.

Conclusions:

Analysis of the inheritance of mammary tumor susceptibility in *Trp53*^{+/-} mice is consistent with recessive-acting alleles from BALB/cMed genetic background. Analysis of the *Ink4a* and *Prdkc* loci is preliminary, but suggests that these loci can be excluded from consideration.

References:

1. P. Kleihues, B. Schauble, H. A. zur, J. Esteve, H. Ohgaki, *Am.J.Pathol.* 150, 1-13 (1997).
2. L. A. Donehower et al., *Mol.Carcinogenesis* 14, 16-22 (1995).
3. C. Kuperwasser et al., *Am.J.Pathol.* 157, 2151-2159 (2000).

Appendices:




Figure 1: Occurrence of mammary tumors in female Trp53+/- mice of different strain origins. BALB-N2 is the mapping panel created with this grant. BALB-N2 are the offspring of [C57BL/6 x BALB/c] x BALB/c-Trp53-/- matings.



DEPARTMENT OF THE ARMY
US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND
504 SCOTT STREET
FORT DETRICK, MD 21702-5012

REPLY TO
ATTENTION OF

MCMR-RMI-S (70-1y)

1 July 03

MEMORANDUM FOR Administrator, Defense Technical Information
Center (DTIC-OCA), 8725 John J. Kingman Road, Fort Belvoir,
VA 22060-6218

SUBJECT: Request Change in Distribution Statement

1. The U.S. Army Medical Research and Materiel Command has reexamined the need for the limitation assigned to technical reports written for this Command. Request the limited distribution statement for the enclosed accession numbers be changed to "Approved for public release; distribution unlimited." These reports should be released to the National Technical Information Service.
2. Point of contact for this request is Ms. Kristin Morrow at DSN 343-7327 or by e-mail at Kristin.Morrow@det.amedd.army.mil.

FOR THE COMMANDER:

PHYLLIS M. RINEHART
Deputy Chief of Staff for
Information Management

Encl

ADB274518
ADB287328
ADB277943
ADB288221
ADB248332
ADB265760
ADB287619
ADB281577
ADB287600
ADB288422
ADB288375
ADB268297